## References

Anon, 1981. Areas of scientific interest in Ireland. An Foras Forbartha, Dublin.

Crichton, M.I., 1960. A study of captures of Trichoptera in a light trap near Reading, Berkshire. *Trans. R. ent. Soc. Lond.* 112: 319-344.

Crichton, M.I., Fisher, D. and Woiwood, I.P., 1978. Life histories and distribution of British Trichoptera, excluding Limnephilidae and Hydroptilidae, based on the Rothamsted Insect Survey. *Hol. Ecol.* 1: 31-45.

Malicky, H., 1983. Atlas of European Trichoptera. Junk, The Hague.

O'Connor, J.P., 1987. A review of the Irish Trichoptera in Bournaud, M. and Tachet, H. (eds). *Proc. of the 5th Int. Symp. on Trichoptera*: 73-77.

Speight, M.C.D. and Vockeroth, J.R., 1988. *Platycheirus amplus*: an insect new to Ireland not previously recorded from Europe (Diptera: Syrphidae). *Ir. Nat. J.* 22: 518-521.

## Scaphisoma assimile Erichson (Col.: Scaphidiidae) in Kent.

On 27th March 1974, I took two specimens of *Scaphisoma* by sieving some fungus-infected plant litter on Hothfield Common (TQ/9645), Kent. N.H. Joy in his *A Practical Handbook of British Beetles*, 1932, gives only *S. agaricinum* (Linn.) and *boleti* (Panzer), but the Hothfield specimens would not satisfactorily fit either species. Recourse was then made to Freude H., Harde K.W. and Lohse G.A., *Die Kafer Mitteleuropas*, Band 3, 1971, where the specimen ran down to *Scaphisoma assimile* Erichson, identification being confirmed by the male genitalia which matched the illustration therein perfectly.

W.W. Fowler in his *The Coleoptera of the British Isles*, Vol. 3, 1889 under *S. assimile* he gives "Introduced by Mr Rye (*Ent. mon Mag.* ii, 140) on a single specimen taken at Coombe Wood; he says of it, "My insect exhibits all the characters, except the narrowness, as compared with *S. boleti*, but I think it can hardly fail to be the true *assimile*" (*Ent. Ann.* 1866, 77). Apart from being listed in both the 1945 and 1977 editions of Kloet & Hincks, *A Check List of British Insects* I have been unable to find any other published records of this species as a British insect.

I must thank Mr A.A. Allen for prompting me to publish this belated record.— ERIC G. PHILP, Natural History Section, Maidstone Museum, St Faith's Street, Maidstone, Kent ME14 1LH.

## A note on the life history of *Semiothisa brunneata* Thunb. (Lep.: Geometridae) Rannoch Looper.

In Skinner (*Moths of the British Isles*, Viking, 1984) it is incorrectly stated that *S. brunneata* overwinters as a small larva. Had the author taken the trouble to consult Buckler (*Larvae of the British Butterflies and Moths*, Vol. VII, Ray Soc., 1896) this crass error could have been avoided. In fact the eggs of *S. brunneata* do not hatch until the early spring as Mr R.G. Chatelain observed when recently rearing this species.— Bernard Skinner, 5 Rawlins Close, South Croydon, Surrey CR2 8JS.